



SOLO

ECHO

SALT CHLORINATORS

The *brain* of your pool.





Smarter pool care, made *simple*.

Designed and made in Australia for local pool conditions, the AstralPool Solo™ and AstralPool Echo™ are the perfect addition to a new pool build or upgrading your current chlorinator.


Both models combine smart, easy-to-use control with reliable engineering, helping you enjoy everyday pool performance you can count on.

Connect to the Fluidra Pool app to access key pool information and manage compatible equipment from the comfort of your phone.


Now available for download from the Apple App Store and Google Play Store.



Sleek design



Connectivity



Engineered to perform



25°

ASTRALPOOL

ECHO

One *pool*. One *ecosystem*.

Choose the right model for your pool.



 **AstralPool**

S O L O TM

Designed to support a
seamless pool experience.

Designed for pool owners who want easy, modern pool control. For new pools, it provides a strong foundation for everyday operation. For existing pools, it offers a smart upgrade from standard entry level chlorinators.



 **AstralPool**

E C H O TM

Giving your pool
smarter control.

Offers greater flexibility for pools that need more connected equipment control. It helps simplify pool management by bringing key equipment functions into one easy-to-use system.



Now available to download via the Apple App and Google Play stores.

Powerful *features.* Clear *specs.*

FEATURES	AstralPool Solo™ Ideal for simple connected chlorination	AstralPool Echo™ Ideal for expanded equipment control
Touchscreen control (5" resistive)	✓	✓
App control via Fluidra Pool App	✓	✓
Boost/Low spa mode	✓	✓
Seasonal mode & Cold Protect	✓	✓
Water temperature sensor	✓	✓
AstralPool VS Pump control (Bluetooth®)	✓	✓
Heater integration (relay/RJ12)	✗	✓
AstralPool VS Pump control (RJ12)	✗	✓
Sensorless acid dosing	✗	✓
Lighting control (Halo Lite)	✗	✓

SPECIFICATIONS	Small	Mid	Large	Extra Large
Output size (gms/hr)	18	25	35	45
Pool size (L) (temperature climate)	50,000	90,000	120,000	150,000
Pool size (L) (tropical climate)	40,000	60,000	80,000	100,000
Recommended salinity (@ 25°C)	4,000ppm			
Salinity range (@ 25°C)	3,000 - 8,000ppm			
Plumbing size	40mm & 50mm			
Pump amperage	8.5A Max			
Power pack dimensions (mm)	L317 x W223 x H129			
Cell dimensions (mm)	L300 x W120 x H170			



Because the best days,
should last a little *longer*.



Scan to learn more.



Make it last.

