

Product Discontinuation of the UMG 96-S2

Dear Sir or Madam,

We would like to inform you about an upcoming change in our product portfolio that affects the UMG 96-S2.

As part of our continuous portfolio optimization and to ensure long-term product availability, reliability, and technological relevance, the UMG 96-S2 will be discontinued. This decision is based on ongoing technical development.

Product Discontinuation Timeline

Please note the following key dates:

Last order: 30 September 2026

Last delivery: 31 March 2027

End of standard support: 31 March 2028

After the end of the standard support, Janitza will no longer provide regular technical support, firmware updates and repairs for the UMG 96-S2. Warranty obligations for devices delivered prior to this date will, of course, be fulfilled in accordance with contractual terms. However, no new software features or non-critical bug fixes will be released.

Migration Recommendation

To ensure continuity and future-proof system planning, we recommend **the UMG 96RM** as the successor to the UMG 96-S2.

Your benefits with the UMG 96RM

- Powerful universal measurement device
- Power Quality Analysis
- High measuring accuracy

Our sales staff and solution partners are available to answer technical questions or advise you on alternative devices.

Kind regards,



Michael Kadziela
Managing Director

Affected products / Conversion table

<i>Item number</i>	<i>Discontinued product</i>	<i>Item number</i>	<i>Alternative</i>
52.34.002	UMG 96-S2	52.22.061	UMG 96RM, 90-277 V AC, UL
		52.22.070	UMG 96RM, 24-90 V AC, UL

POWER QUALITY

- 40th Harmonics
- Distortion factor THD-I / THD-U
- Rotating field components

MEASURING ACCURACY

- Active energy class 0.5 S
- Current 0.2%
- Voltage 0.2%

ENERGY MANAGEMENT

- Load profile
- 8 Tariffs

COMMUNICATION AND INTERFACE

- RS 485
- Modbus RTU

